



TXRangerS TX6000S

専用アプリ TraceXtra
クイックガイド



GOODMAN

測定データのダウンロードと表示方法



LIVE トレースの測定データ保存方法

The screenshot shows a mobile application interface for measuring and saving live traces. The top status bar displays the time 12:51 and battery level 12%. The main screen is divided into a left sidebar, a central plot area, and a bottom control bar.

Left Sidebar: Contains a list of traces. The top trace is selected with a checkmark. Below it are Trace 003, Trace 004, Trace 005, Trace 006, and Trace 007. Trace 007 is highlighted with a red circle and the number 3.

Central Plot Area: Displays a graph with multiple traces. A red trace is labeled "Live trace" with a blue arrow. A message dialog box is overlaid on the plot, asking "Would you like to save the live trace?" with "NO" and "YES" buttons. The "YES" button is highlighted with a red circle and the number 2.


Bottom Control Bar: Includes a "PAUSE" button (highlighted with a red circle and the number 1), a "Range" dropdown set to "160 m", and a "Max Range: [Trace]" label.

Message Dialog: A white box with a black border containing the text "Message" and "Would you like to save the live trace?". It has "NO" and "YES" buttons.

Annotations:

- ステップ 1** (Step 1): PAUSE ボタンをタッチして LIVE トレースを終了します。
- ステップ 2** (Step 2): YES をタッチすると左側のリストに測定データが表示されます。
- ステップ 3** (Step 3): LIVE トレースのデータが新しくリストに追加されます。

測定データの保存と共有方法



測定データの送信方法（Eメールもしくはその他のアプリ）

